

BILSTEIN



CATALOG EXTRACT

CAMPER SHOCK ABSORBERS



TABLE OF CONTENTS

Legend	3
Catalogue excerpt	4
Comparison list	30


OUR APPLICATIONS AT A GLANCE.

The current portfolio of BILSTEIN B1 - B6 Camper products offers applications for Citroën, Fiat, Peugeot, Opel and Mercedes Sprinter models.

SUPPORT FOR PART IDENTIFICATION.


Below you will find all the relevant information for part identification as well as important detailed instructions for installation. Please refer to the following catalogue extract to find out which BILSTEIN product you need for the vehicle. This is the only way to ensure the optimum series replacement for your customers.

DIMENSIONS



Vehicle type and model	Front axle	Rear axle	Notes / OE No.
FIAT DUCATO Panel / Platform / Suspension (250_)			
B4 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D,	22-183415 11-299370	19-183398
07/06	74-132 kW		
DampMatic / Advanced Product range	Year of manufacture	Motorisation	Order No.
			Type
			in preparation
Standard suspension; Model: Light 28 - 35 Front axle: Piston rods Ø 25 mm; Lmin: 501 mm; Lmax: 687 mm; for OE-No.: 50707078; for OE-No.: 50707000; for OE-No.: 50708386; with coil suspension			

EXPLANATION





CITROËN			
CITROËN JUMPER Van			
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	11-299370	Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	12-296392 12-296408	FA: 12-296408; 12-296392
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	22-183415	Vehicle Type: Light 28-35; with standard chassis FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	22-196682	Vehicle Type: Heavy 35-40; with standard chassis FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	19-183398	with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	19-226798	with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	19-226781	with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	22-325488	with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	22-325525	with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 – / 74 – 130 kW	19-325545	Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080



CITROËN			
CITROËN JUMPER Van			
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW		19-326986
			Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355824080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW		19-325491
			with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	23-325500	
			Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	23-325531	
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 155, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW		25-336078
			with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080
CITROËN JUMPER Platform/Chassis			
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	11-299370	
			Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	12-296392 12-296408	
			FA: 12-296408; 12-296392
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	22-183415	19-183398
			Vehicle Type: Light 11-15 Q; with standard chassis FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 – 130 kW	22-196682	19-183398
			Vehicle Type: Light 17-18 Q; with standard chassis FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles



CITROËN			
CITROËN JUMPER Platform/Chassis			
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW		19-226781
			with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW	22-325488	
			with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW	22-325525	
			with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW		19-325545
			Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW		19-326986
			Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW		19-325491
			with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW	23-325500	
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 130 4x4, 2.0 BlueHDi 160, 2.0 BlueHDi 160 4x4, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW	23-325531	
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 180 04/06 - / 74 - 130 kW		25-336078
			Vehicle Type: Factory flat frame ; not for model AL-KO flat frame; with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080



FIAT			
FIAT DUCATO Van (250_)			
B 1	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW	11-299370	Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D, 160 Multijet 3,0 D 4x4 07/06 - / 74 – 132 kW	12-228683 12-228676	FA: 12-228676; 12-228683
B 4	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW	22-183415	with standard chassis; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW	22-196682	with standard chassis; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 50708609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW		19-183398
B 4	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW		19-226798
B 4	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW		19-226781
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW	22-325488	with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 – 132 kW	22-325525	Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 50708609; for coil-spring suspension vehicles; Length [mm]: 751 mm



FIAT			
FIAT DUCATO Van (250_)			
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		19-325545 with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		19-326986 with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		19-325491 with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW	23-325500	with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW	23-325531	Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		25-336078 with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080
FIAT DUCATO Platform/Chassis (250_)			
B 1	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW	11-299370	Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	140 Natural Power, 115 Multijet 2,0 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 120 Multijet 2,3 D 4x4, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 130 kW	12-228683 12-228676	FA: 12-228676; 12-228683



FIAT			
FIAT DUCATO Platform/Chassis (250_)			
B 6	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		19-325491
			with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW	23-325500	Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW	23-325531	with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	115 Multijet 2,0 D, 120 Multijet 2,2 D, 140 Multijet 2,2 D, 160 Multijet 2,2 D, 180 Multijet 2,2 D, 100 Multijet 2,2 D, 110 Multijet 2,3 D, 120 Multijet 2,3 D, 130 Multijet 2,3 D, 140 Multijet 2,3 D, 150 Multijet 2,3 D, 160 Multijet 2,3 D, 180 Multijet 2,3 D, 150 Multijet 3,0 D, 160 Multijet 3,0 D, 180 Multijet 3,0 D 07/06 - / 74 - 132 kW		25-336078
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Factory flat frame ; not for model AL-KO flat frame RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080

FORD

FORD TRANSIT V363 Van (FCD, FDD)

B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 3.7 RWD, 3.7 Flex RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 - 12/18 74 - 231 kW	22-249333	19-249346	RA: Length 2 [mm]: 509 mm; Length 1 [mm]: 330 mm; Length [mm]: 549 mm; for OE number: 1 911 848; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: BK31-18080-BD; for OE number: BK31-18080-JD; for OE number: BK31-18080-LA; for OE number: 1 828 698; for OE number: BK31-18080-AD; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 3.7 RWD, 3.7 Flex RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 - 12/18 74 - 231 kW	22-249333	19-255569	RA: Length 2 [mm]: 594 mm; Length 1 [mm]: 375 mm; for OE number: 1 828 697; for OE number: BK31-18080-CD; Length [mm]: 634 mm
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 3.7 RWD, 3.7 Flex RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 - 12/18 74 - 231 kW	22-249333	19-255576	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 408 mm; for OE number: 1 843 164; for OE number: 1 842 637; for OE number: CK41-18080-DC; for OE number: BK31-18080-UC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Reinforced Version
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 3.7 RWD, 3.7 Flex RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 - 12/18 74 - 231 kW	22-249333	19-255583	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 410 mm; for OE number: 1 843 163; for OE number: 5 272 913; for OE number: CK41-18080-AC; for OE number: CK41-18080-CC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 - 12/18 74 - 136 kW	22-257277	19-249346	RA: Length 2 [mm]: 509 mm; Length 1 [mm]: 330 mm; Length [mm]: 549 mm; for OE number: 1 911 848; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: BK31-18080-BD; for OE number: BK31-18080-JD; for OE number: BK31-18080-LA; for OE number: 1 828 698; for OE number: BK31-18080-AD; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 - 12/18 74 - 136 kW	22-257277	19-255569	RA: Length 2 [mm]: 594 mm; Length 1 [mm]: 375 mm; for OE number: 1 828 697; for OE number: BK31-18080-CD; Length [mm]: 634 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 - 12/18 74 - 136 kW	22-257277	19-255576	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 408 mm; for OE number: 1 843 164; for OE number: 1 842 637; for OE number: CK41-18080-DC; for OE number: BK31-18080-UC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Reinforced Version

































FORD						
FORD TRANSIT V363 Van (FCD, FDD)						
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-257277	✚	19-255583	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 410 mm; for OE number: 1 843 163; for OE number: 5 272 913; for OE number: CK41-18080-AC; for OE number: CK41-18080-CC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 3.7 RWD, 3.7 Flex RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249357	✚	24-277846	○	RA: Length 2 [mm]: 510 mm; Length 1 [mm]: 330 mm; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: 1 828 698
B 6	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-338075	✚	24-338097	○	Vehicle Type: Camper RA: Length 1 [mm]: 331 mm; Length 2 [mm]: 504 mm; Length [mm]: 552 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6 DMC	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-338082	✚	24-338103	○	Vehicle Type: Camper Advance RA: Length 1 [mm]: 331 mm; Length 2 [mm]: 504 mm; Length [mm]: 552 mm

FORD TRANSIT V363 Platform/Chassis (FED, FFD)						
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249333	✚	19-249346	○	RA: Length 2 [mm]: 509 mm; Length 1 [mm]: 330 mm; Length [mm]: 549 mm; for OE number: 1 911 848; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: BK31-18080-BD; for OE number: BK31-18080-JD; for OE number: FK31-18080-LA; for OE number: 1 828 698; for OE number: BK31-18080-AD; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249333	✚	19-255569	○	RA: Length 2 [mm]: 594 mm; Length 1 [mm]: 375 mm; for OE number: 1 828 697; for OE number: BK31-18080-CD; Length [mm]: 634 mm
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249333	✚	19-255576	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 408 mm; for OE number: 1 843 164; for OE number: 1 842 637; for OE number: CK41-18080-DC; for OE number: BK31-18080-UC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Reinforced Version
B 4	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249333	✚	19-255583	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 410 mm; for OE number: 1 843 163; for OE number: 5 272 913; for OE number: CK41-18080-AC; for OE number: CK41-18080-CC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-257277	✚	19-249346	○	RA: Length 2 [mm]: 509 mm; Length 1 [mm]: 330 mm; Length [mm]: 549 mm; for OE number: 1 911 848; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: BK31-18080-BD; for OE number: BK31-18080-JD; for OE number: FK31-18080-LA; for OE number: 1 828 698; for OE number: BK31-18080-AD; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-257277	✚	19-255569	○	RA: Length 2 [mm]: 594 mm; Length 1 [mm]: 375 mm; for OE number: 1 828 697; for OE number: BK31-18080-CD; Length [mm]: 634 mm
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-257277	✚	19-255576	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 408 mm; for OE number: 1 843 164; for OE number: 1 842 637; for OE number: CK41-18080-DC; for OE number: BK31-18080-UC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Reinforced Version
B 4	2.0 EcoBlue, 2.0 EcoBlue mHEV, 2.2 TDCi 08/13 – 12/18 74 – 136 kW	22-257277	✚	19-255583	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 410 mm; for OE number: 1 843 163; for OE number: 5 272 913; for OE number: CK41-18080-AC; for OE number: CK41-18080-CC; Length [mm]: 702 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249357	✚	24-277846	○	RA: Length 2 [mm]: 510 mm; Length 1 [mm]: 330 mm; for OE number: 1 828 695; for OE number: 1 828 696; for OE number: 1 828 698
B 6	3.5 RWD, 3.7 FLEX RWD, 3.7 LPG RWD, 2.0 EcoBlue RWD, 2.0 EcoBlue mHEV RWD, 2.0 EcoBlue 4x4, 2.2 TDCi RWD, 2.2 TDCi 4x4, 3.2 TDCi RWD 08/13 – 12/18 74 – 231 kW	22-249357	✚	24-265331	○	RA: Length 2 [mm]: 657 mm; Length 1 [mm]: 410 mm; Length [mm]: 698 mm

MERCEDES-BENZ						
MERCEDES-BENZ SPRINTER 3-t Van (B906)						
B 1	224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 218 CDI 06/06 – 12/09 65 – 190 kW	11-301066	PK			
B 1	216 CDI 03/09 – / 120 kW	11-301066	PK			
B 1	219 CDI / BlueTEC 03/09 – / 140 kW	11-301066	PK			

MERCEDES-BENZ			
MERCEDES-BENZ SPRINTER 3-t Van (B906)			
B 1	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 65 – 190 kW	12-248599	
B 1 AMC	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 65 – 190 kW	10-309490	for pneumatic suspension vehicles
B 4	216, 213 CDI, 214 CDI, 215 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 95 – 140 kW	11-301066 22-184238 $\frac{1}{3}$	 19-171579 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 4	216, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 70 – 140 kW	22-184245 $\frac{1}{3}$ 11-301066	 19-169279 $\frac{0}{0}$ Reinforced Version ; with standard chassis FA: Length [mm]: 647 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 456 mm RA: Length [mm]: 532 mm; Length 1 [mm]: 312 mm; Length 2 [mm]: 497 mm
B 4	224, 209 CDI, 210 CDI, 211 CDI, 216 CDI 06/06 – 12/09 65 – 190 kW	22-184238 $\frac{1}{3}$ 11-301066	 19-171579 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 4	224, 209 CDI, 213 CDI, 216 CDI 06/06 – 12/09 65 – 190 kW	11-301066 22-184245 $\frac{1}{3}$	 19-169279 $\frac{0}{0}$ Reinforced Version ; with standard chassis FA: Length [mm]: 647 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 456 mm RA: Length [mm]: 532 mm; Length 1 [mm]: 312 mm; Length 2 [mm]: 497 mm
B 6	216, 224, 209 CDI, 210 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 65 – 190 kW	22-232854 $\frac{1}{3}$ 11-301066	 24-223911 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 65 – 190 kW	22-334282 $\frac{1}{3}$	24-334303 $\frac{0}{0}$ Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	211 CDI, 213 CDI, 214 CDI 06/06 – 12/09 80 – 105 kW	11-301066 22-232854 $\frac{1}{3}$	 24-223911 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6 DMC	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 12/09 65 – 190 kW	22-334299 $\frac{1}{3}$	Vehicle Type: Camper Advance FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
MERCEDES-BENZ SPRINTER 3-t Platform/Chassis (B906)			
B 1	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI 06/06 – 05/16 65 – 190 kW	11-301066	
B 1	219 CDI / BlueTEC 03/09 – 05/16 140 kW	11-301066	
B 1	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	12-248599	
B 1 AMC	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	10-309490	for pneumatic suspension vehicles
B 4	216, 209 CDI, 211 CDI, 213 CDI 06/06 – 05/16 65 – 115 kW	11-301066 22-184238 $\frac{1}{3}$	 19-171579 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 4	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	22-184245 $\frac{1}{3}$	19-169279 $\frac{0}{0}$ Reinforced Version ; with standard chassis FA: Length [mm]: 647 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 456 mm RA: Length [mm]: 532 mm; Length 1 [mm]: 312 mm; Length 2 [mm]: 497 mm
B 4	224, 210 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 70 – 190 kW	22-184238 $\frac{1}{3}$ 11-301066	 19-171579 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 6	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	22-232854 $\frac{1}{3}$ 11-301066	 24-223911 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	22-334282 $\frac{1}{3}$	24-334303 $\frac{0}{0}$ Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	213 CDI, 214 CDI, 215 CDI, 216 CDI 06/06 – 12/09 95 – 120 kW	11-301066 22-232854 $\frac{1}{3}$	 24-223911 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6 DMC	216, 224, 209 CDI, 210 CDI, 211 CDI, 213 CDI, 214 CDI, 215 CDI, 216 CDI, 218 CDI, 219 CDI / BlueTEC 06/06 – 05/16 65 – 190 kW	22-334299 $\frac{1}{3}$	Vehicle Type: Camper Advance FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm



			
MERCEDES-BENZ			
MERCEDES-BENZ SPRINTER 3,5-t Van (B906)			
B 1	316, 316 NGT, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 311 CDI 4x4, 313 CDI, 313 CDI 4x4, 314 CDI, 314 CDI 4x4, 315 CDI, 315 CDI 4x4, 316 CDI, 316 CDI 4x4, 318 CDI, 318 CDI 4x4, 319 CDI / BlueTEC, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 06/06 – 12/13 65 – 190 kW	11-301066 	with standard chassis
B 1	316, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	12-248599	with standard chassis
B 1 AMC	316, 316 NGT, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 311 CDI 4x4, 313 CDI, 313 CDI 4x4, 314 CDI, 314 CDI 4x4, 315 CDI, 315 CDI 4x4, 316 CDI, 316 CDI 4x4, 318 CDI, 318 CDI 4x4, 319 CDI / BlueTEC, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 06/06 – 12/13 65 – 190 kW	10-309490	for pneumatic suspension vehicles
B 4	316, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	22-184238  	19-171579  with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 4	316, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	22-184245  	19-169279  Reinforced Version FA: Length [mm]: 647 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 456 mm RA: Length [mm]: 532 mm; Length 1 [mm]: 312 mm; Length 2 [mm]: 497 mm
B 4	311 CDI 4x4, 313 CDI 4x4, 314 CDI 4x4, 315 CDI 4x4, 316 CDI 4x4, 318 CDI 4x4, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 02/08 – 12/09 80 – 140 kW	22-314161  	19-314181  with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm RA: Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length [mm]: 632 mm; Length 1 [mm]: 398 mm; Length 2 [mm]: 591 mm
B 6	316, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	22-232854  	24-223911  FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	316, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	22-334282  	24-334303  Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Tyres for single tyres; Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	311 CDI 4x4, 313 CDI 4x4, 314 CDI 4x4, 315 CDI 4x4, 316 CDI 4x4, 318 CDI 4x4, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 02/08 – 12/09 80 – 140 kW	22-334329  	24-334341  Vehicle Type: Camper FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 605 mm; Length 1 [mm]: 370 mm; Length 2 [mm]: 565 mm
B 6	311 CDI 4x4, 313 CDI 4x4, 314 CDI 4x4, 315 CDI 4x4, 316 CDI 4x4, 318 CDI 4x4, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 02/08 – 12/09 80 – 140 kW	22-285959  	with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm
B 6 DMC	316, 316 LGT, 324, 309 CDI, 310 CDI, 311 CDI, 313 CDI, 314 CDI, 315 CDI, 316 CDI, 318 CDI, 319 CDI / BlueTEC 06/06 – 12/13 65 – 190 kW	22-334299  	Vehicle Type: Camper Advance FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
B 6 DMC	311 CDI 4x4, 313 CDI 4x4, 314 CDI 4x4, 315 CDI 4x4, 316 CDI 4x4, 318 CDI 4x4, 319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635,... 02/08 – 12/09 80 – 140 kW	22-329455  	25-334357  Vehicle Type: Camper Advance FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 588 mm; Length 1 [mm]: 380 mm; Length 2 [mm]: 548 mm
MERCEDES-BENZ SPRINTER 3,5-t Platform/Chassis (B906)			
B 1	316, 316 NGT, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132,..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,..., 319 CDI / BlueTEC 4x4 (906.131, 906.133, 906.135,... 06/06 – 12/16 65 – 190 kW	11-301066 	with standard chassis



MERCEDES-BENZ					
MERCEDES-BENZ SPRINTER 3,5-t Platform/Chassis (B906)					
B 1	316, 324 (906.133, 906.135, 906.233, 906.235, 906.132, ..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231, ..., 06/06 – 05/16 65 – 190 kW	12-248599		with standard chassis	
B 1 AMC	316, 316 NGT, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132, ..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233, ..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231, ..., 319 CDI / BlueTEC 4x4 (906.131, 906.133, 906.135, ..., 06/06 – 12/16 65 – 190 kW	10-309490		for pneumatic suspension vehicles	
B 4	316, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132, ..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231, ..., 06/06 – 12/16 65 – 190 kW	22-184238 $\frac{1}{2}$	\uparrow	19-171579 $\frac{\circ}{\circ}$	with standard chassis FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 535 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 500 mm
B 4	316, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132, ..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231, ..., 06/06 – 12/16 65 – 190 kW	22-184245 $\frac{1}{2}$	\uparrow	19-169279 $\frac{\circ}{\circ}$	Reinforced Version FA: Length [mm]: 647 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 456 mm RA: Length [mm]: 532 mm; Length 1 [mm]: 312 mm; Length 2 [mm]: 497 mm
B 6	316, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132, ..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233, ..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231, ..., 06/06 – 12/16 65 – 190 kW	22-232854 $\frac{1}{2}$	\uparrow	24-223911 $\frac{\circ}{\circ}$	FA: Length [mm]: 629 mm; Length 1 [mm]: 257 mm; Length 2 [mm]: 437 mm RA: Length [mm]: 541 mm; Length 1 [mm]: 323 mm; Length 2 [mm]: 506 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm



MERCEDES-BENZ					
MERCEDES-BENZ SPRINTER 3,5-t Platform/Chassis (B906)					
B 6	316, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132,..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,... 06/06 – 12/16 65 – 190 kW	22-334282 $\frac{1}{3}$	†	24-334303 $\frac{\circ}{\circ}$	Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC 4x4 (906.131, 906.133, 906.135,... 06/06 – 05/16 80 – 140 kW	22-285959 $\frac{1}{3}$	†		with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm
B 6	311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC 4x4 (906.131, 906.133, 906.135,... 06/06 – 05/16 80 – 140 kW	22-334329 $\frac{1}{3}$	†	24-334341 $\frac{\circ}{\circ}$	Vehicle Type: Camper FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 605 mm; Length 1 [mm]: 370 mm; Length 2 [mm]: 565 mm
B 6 DMC	316, 316 LGT, 324 (906.133, 906.135, 906.233, 906.235, 906.132,..., 309 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 310 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 311 CDI, 313 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC (906.131, 906.133, 906.135, 906.231,... 06/06 – 12/16 65 – 190 kW	22-334299 $\frac{1}{3}$	†		Vehicle Type: Camper Advance FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
B 6 DMC	311 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 313 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 314 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 315 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 316 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 318 CDI 4x4 (906.131, 906.133, 906.135, 906.231, 906.233,..., 319 CDI / BlueTEC 4x4 (906.131, 906.133, 906.135,... 06/06 – 05/16 80 – 140 kW	22-329455 $\frac{1}{3}$	†	25-334357 $\frac{\circ}{\circ}$	Vehicle Type: Camper Advance FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 588 mm; Length 1 [mm]: 380 mm; Length 2 [mm]: 548 mm
MERCEDES-BENZ SPRINTER 3-t Platform/Chassis (B910, B907)					
B 4	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 – / 84 – 125 kW	22-310194 $\frac{1}{3}$	†	19-310206 $\frac{\circ}{\circ}$	with standard chassis FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 546 mm; Length 1 [mm]: 317 mm; Length 2 [mm]: 505 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 – / 84 – 125 kW	22-314345 $\frac{1}{3}$	†	19-314198 $\frac{\circ}{\circ}$	with off-road suspension FA: Length [mm]: 644 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 455 mm RA: Length [mm]: 516 mm; Length 1 [mm]: 314 mm; Length 2 [mm]: 475 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	211 CDI, 214 CDI, 215 CDI 02/18 – / 84 – 110 kW	22-329684 $\frac{1}{3}$	†	24-329712 $\frac{\circ}{\circ}$	FA: Length 1 [mm]: 467 mm; Length 2 [mm]: 671 mm; Length [mm]: 700 mm RA: Length 1 [mm]: 323 mm; Length 2 [mm]: 485 mm; Length [mm]: 522 mm
B 6	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 – / 84 – 125 kW	22-310415 $\frac{1}{3}$	†	24-310420 $\frac{1}{3}$	FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length 1 [mm]: 320 mm; Length 2 [mm]: 499 mm; Length [mm]: 539 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 – / 84 – 125 kW			24-322393 $\frac{\circ}{\circ}$	with standard chassis RA: Length [mm]: 515 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 – / 84 – 125 kW			24-334303 $\frac{\circ}{\circ}$	Vehicle Type: Camper RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6 DMC	211 CDI, 214 CDI, 215 CDI 02/18 – / 84 – 110 kW	22-329691 $\frac{1}{3}$	†	25-329728 $\frac{\circ}{\circ}$	FA: Length 1 [mm]: 467 mm; Length 2 [mm]: 671 mm; Length [mm]: 700 mm RA: Length 1 [mm]: 323 mm; Length 2 [mm]: 485 mm; Length [mm]: 522 mm



MERCEDES-BENZ

MERCEDES-BENZ SPRINTER 3-t Platform/Chassis (B910, B907)

B 6 DMC	211 CDI RWD, 214 CDI RWD, 215 CDI RWD, 216 CDI RWD, 217 CDI RWD 02/18 - /	84 - 125 kW	22-342850 $\frac{1}{3}$		Vehicle Type: Camper Advanced FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
------------	---	-------------	-------------------------	--	--

MERCEDES-BENZ SPRINTER 3,5-t Van (B907, B910)

B 1	314 CDI All-wheel Drive, 316 CDI All-wheel Drive, 319 CDI All-wheel Drive 01/19 - /	105 - 140 kW	11-301066		with standard chassis
B 1	311 CDI RWD, 314 CDI RWD, 314 CDI All-wheel Drive, 315 CDI RWD, 316 CDI RWD, 316 CDI All-wheel Drive, 317 CDI RWD, 319 CDI RWD, 319 CDI All-wheel Drive 02/18 - /	84 - 140 kW	12-248599		with standard chassis
B 4	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW	22-310194 $\frac{1}{3}$		19-310206 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 546 mm; Length 1 [mm]: 317 mm; Length 2 [mm]: 505 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW	22-314345 $\frac{1}{3}$		19-314198 $\frac{0}{0}$ with off-road suspension FA: Length [mm]: 644 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 455 mm RA: Length [mm]: 516 mm; Length 1 [mm]: 314 mm; Length 2 [mm]: 475 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	314 CDI All-wheel Drive, 316 CDI All-wheel Drive, 319 CDI All-wheel Drive 01/19 - /	105 - 140 kW	22-314161 $\frac{1}{3}$		19-314181 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm RA: Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length [mm]: 632 mm; Length 1 [mm]: 398 mm; Length 2 [mm]: 591 mm
B 6	311 CDI, 314 CDI, 315 CDI, 317 CDI 02/18 - /	84 - 125 kW	22-329684 $\frac{1}{3}$		24-329712 $\frac{0}{0}$ Vehicle Type: Camper FA: Length 1 [mm]: 467 mm; Length 2 [mm]: 671 mm; Length [mm]: 700 mm RA: Length 1 [mm]: 323 mm; Length 2 [mm]: 485 mm; Length [mm]: 522 mm
B 6	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW	22-310415 $\frac{1}{3}$		24-310420 $\frac{1}{3}$ Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length 1 [mm]: 320 mm; Length 2 [mm]: 499 mm; Length [mm]: 539 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW			24-322393 $\frac{0}{0}$ with standard chassis RA: Length [mm]: 611 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW			24-334303 $\frac{0}{0}$ Vehicle Type: Camper RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	314 CDI All-wheel Drive, 316 CDI All-wheel Drive, 319 CDI All-wheel Drive 01/19 - /	105 - 140 kW	22-314178 $\frac{1}{3}$		24-314350 $\frac{0}{0}$ with standard chassis; Vehicle Type: Camper FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm RA: Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length [mm]: 631 mm; Length 1 [mm]: 398 mm; Length 2 [mm]: 591 mm
B 6 DMC	311 CDI, 314 CDI, 315 CDI, 317 CDI 02/18 - /	84 - 125 kW	22-329691 $\frac{1}{3}$		25-329728 $\frac{0}{0}$ Vehicle Type: Camper Advanced FA: Length 1 [mm]: 467 mm; Length 2 [mm]: 671 mm; Length [mm]: 700 mm RA: Length 1 [mm]: 323 mm; Length 2 [mm]: 485 mm; Length [mm]: 522 mm
B 6 DMC	311 CDI RWD, 314 CDI RWD, 315 CDI RWD, 316 CDI RWD, 317 CDI RWD, 319 CDI RWD 02/18 - /	84 - 140 kW	22-342850 $\frac{1}{3}$		Vehicle Type: Camper Advanced FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
B 6 DMC	314 CDI All-wheel Drive, 316 CDI All-wheel Drive, 319 CDI All-wheel Drive 01/19 - /	105 - 140 kW	22-329455 $\frac{1}{3}$		25-329445 $\frac{0}{0}$ Vehicle Type: Camper Advanced FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 624 mm; Length 1 [mm]: 396 mm; Length 2 [mm]: 584 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm

MERCEDES-BENZ SPRINTER 3,5-t Platform/Chassis (B907, B910)

B 1	314 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 316 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 319 CDI All-wheel Drive 01/19 - /	105 - 140 kW	11-301066		with standard chassis
B 1	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233,..., 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233,..., 314 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233,..., 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233,..., 316 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.233,..., 319 CDI RWD, 319 CDI All-wheel Drive 02/18 - /	84 - 140 kW	12-248599		with standard chassis



MERCEDES-BENZ			
MERCEDES-BENZ SPRINTER 3,5-t Platform/Chassis (B907, B910)			
B 4	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW	22-310194 $\frac{1}{2}$	19-310206 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length [mm]: 546 mm; Length 1 [mm]: 317 mm; Length 2 [mm]: 505 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW	22-314345 $\frac{1}{2}$	19-314198 $\frac{0}{0}$ with off-road suspension FA: Length [mm]: 644 mm; Length 1 [mm]: 273 mm; Length 2 [mm]: 455 mm RA: Length [mm]: 516 mm; Length 1 [mm]: 314 mm; Length 2 [mm]: 475 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 4	314 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 316 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 319 CDI All-wheel Drive 01/19 - / 105 – 140 kW	22-314161 $\frac{1}{2}$	19-314181 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm RA: Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length [mm]: 632 mm; Length 1 [mm]: 398 mm; Length 2 [mm]: 591 mm
B 6	311 CDI, 314 CDI, 315 CDI, 317 CDI, 318 CDI 02/18 - / 84 – 130 kW	22-329684 $\frac{1}{2}$	24-329712 $\frac{0}{0}$ Vehicle Type: Camper FA: Length 1 [mm]: 467 mm; Length 2 [mm]: 671 mm; Length [mm]: 700 mm RA: Length 1 [mm]: 323 mm; Length 2 [mm]: 485 mm; Length [mm]: 522 mm
B 6	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW	22-310415 $\frac{1}{2}$	24-310420 $\frac{1}{2}$ Vehicle Type: Camper FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm RA: Length 1 [mm]: 320 mm; Length 2 [mm]: 499 mm; Length [mm]: 539 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm
B 6	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW		24-322393 $\frac{0}{0}$ with standard chassis RA: Length [mm]: 515 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW		24-334303 $\frac{0}{0}$ Vehicle Type: Camper RA: Length [mm]: 515 mm; Length 1 [mm]: 316 mm; Length 2 [mm]: 475 mm
B 6	314 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 316 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 319 CDI All-wheel Drive 01/19 - / 105 – 140 kW	22-314178 $\frac{1}{2}$	24-314350 $\frac{0}{0}$ with standard chassis FA: Length [mm]: 611 mm; Length 1 [mm]: 337 mm; Length 2 [mm]: 515 mm RA: Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm; Length [mm]: 631 mm; Length 1 [mm]: 398 mm; Length 2 [mm]: 591 mm
B 6 DMC	311 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 314 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 315 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 316 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 317 CDI RWD (907.131, 907.133, 907.135, 907.231, 907.235... 319 CDI RWD 02/18 - / 84 – 140 kW	22-342850 $\frac{1}{2}$	Vehicle Type: Camper Advanced FA: Length [mm]: 623 mm; Length 1 [mm]: 254 mm; Length 2 [mm]: 434 mm
B 6 DMC	314 CDI All-wheel Drive (907.133, 907.135, 907.233,..., 319 CDI All-wheel Drive 01/19 - / 105 – 140 kW	22-329455 $\frac{1}{2}$	25-329445 $\frac{0}{0}$ Vehicle Type: Camper Advanced FA: Length [mm]: 611 mm; Length 1 [mm]: 347 mm; Length 2 [mm]: 515 mm RA: Length [mm]: 624 mm; Length 1 [mm]: 396 mm; Length 2 [mm]: 584 mm; Mounting points diameter [mm] 14 mm; Mounting points diameter [mm] 12 mm

NISSAN
NISSAN INTERSTAR Van (X62B)

B 4	dCi 110, dCi 135, dCi 150, dCi 180 11/21 - / 81 – 132 kW		19-232546 $\frac{0}{0}$ with standard chassis; Front Wheel Drive
B 4	dCi 130 RWD, dCi 145 RWD, dCi 165 RWD 11/21 - / 96 – 120 kW		19-232553 $\frac{0}{0}$ with standard chassis; Rear Wheel Drive

NISSAN INTERSTAR Platform/Chassis (X62B)

B 4	dCi 130 RWD, dCi 145 RWD, dCi 165 RWD 11/21 - / 96 – 120 kW		19-232553 $\frac{0}{0}$ with standard chassis; Rear Wheel Drive
B 4	dCi 145, dCi 165 11/21 - / 107 – 120 kW		19-232546 $\frac{0}{0}$ with standard chassis; Front Wheel Drive



--	--	--	--

NISSAN

NISSAN NV400 Van (X62, X62B)

B 1	dCi 100, dCi 125, dCi 125 RWD, dCi 145, dCi 145 RWD 11/11 – 09/16 74 – 107 kW	12-263615		
B 4	dCi 100, dCi 110, dCi 125, dCi 130, dCi 135, dCi 145, dCi 150, dCi 165, dCi 170, dCi 180 11/11 – 09/16 74 – 132 kW		19-232546	with standard chassis; Front Wheel Drive
B 4	dCi 125 RWD, dCi 145 RWD 11/11 – 09/16 92 – 107 kW		19-232553	with standard chassis; Rear Wheel Drive

NISSAN NV400 Platform/Chassis (X62, X62B)

B 1	dCi 100, dCi 125, dCi 125 RWD, dCi 145, dCi 145 RWD 11/11 – 09/16 74 – 107 kW	12-263615		
B 4	dCi 100, dCi 110, dCi 125, dCi 130, dCi 135, dCi 145, dCi 150, dCi 165, dCi 170, dCi 180 11/11 – 09/16 74 – 132 kW		19-232546	with standard chassis; Front Wheel Drive
B 4	dCi 125 RWD, dCi 130 RWD, dCi 135 RWD, dCi 145 RWD, dCi 150 RWD, dCi 165 RWD 11/11 – 09/16 92 – 120 kW		19-232553	with standard chassis; Rear Wheel Drive

OPEL

OPEL MOVANO B Van (X62)

B 1	2.3 CDTI FWD, 2.3 CDTI RWD 05/10 – / 74 – 132 kW	12-263615		
B 1 AMC	2.3 CDTI FWD, 2.3 CDTI RWD 05/10 – / 74 – 132 kW		10-309490	for pneumatic suspension vehicles
B 4	2.3 CDTI FWD 05/10 – / 74 – 132 kW		19-232546	with standard chassis; Front Wheel Drive
B 4	2.3 CDTI RWD 05/10 – / 74 – 120 kW		19-232553	with standard chassis; Rear Wheel Drive

OPEL MOVANO B Platform/Chassis (X62)

B 1	2.3 CDTI FWD, 2.3 CDTI RWD 05/10 – / 92 – 107 kW	12-263615		
B 1 AMC	2.3 CDTI FWD, 2.3 CDTI RWD 05/10 – / 74 – 132 kW		10-309490	for pneumatic suspension vehicles
B 4	2.3 CDTI FWD 05/10 – / 74 – 132 kW		19-232546	with standard chassis; Front Wheel Drive
B 4	2.3 CDTI RWD 05/10 – / 74 – 120 kW		19-232553	with standard chassis; Rear Wheel Drive

OPEL MOVANO C Van (U9)

B 1	2.2 D 12/21 – / 88 – 121 kW	11-299370		Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.2 D 12/21 – / 88 – 121 kW	12-228683 12-228676	 	FA: 12-228676; 12-228683
B 4	2.2 D 12/21 – / 88 – 121 kW	22-183415		with standard chassis; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.2 D 12/21 – / 88 – 121 kW	22-196682		with standard chassis; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	2.2 D 12/21 – / 88 – 121 kW			19-183398 with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles



OPEL				
OPEL MOVANO C Van (U9)				
B 4	2.2 D 12/21 - / 88 - 121 kW			19-226798
				with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080
B 4	2.2 D 12/21 - / 88 - 121 kW			19-226781
				with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 88 - 121 kW	22-325488		
				Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.2 D 12/21 - / 88 - 121 kW	22-325525		
				Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.2 D 12/21 - / 88 - 121 kW			19-325545
				with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.2 D 12/21 - / 88 - 121 kW			19-326986
				with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 88 - 121 kW			19-325491
				with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.2 D 12/21 - / 88 - 121 kW	23-325500		
				Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.2 D 12/21 - / 88 - 121 kW	23-325531		
				with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm



OPEL				
OPEL MOVANO C Van (U9)				
B 6 DMC	2.2 D 12/21 - /	88 - 121 kW	25-336078	with standard chassis; Vehicle Type: Camper Advanced; not for model AL-KO flat frame; Vehicle Type: Factory flat frame RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080
OPEL MOVANO C Platform/Chassis (U9)				
B 1	2.2 D 12/21 - /	88 - 121 kW	11-299370	Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.2 D 12/21 - /	88 - 121 kW	12-228683 12-228676	FA: 12-228676; 12-228683
B 4	2.2 D 12/21 - /	88 - 121 kW	22-183415	with standard chassis; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.2 D 12/21 - /	88 - 121 kW	22-196682	with standard chassis; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	2.2 D 12/21 - /	88 - 121 kW	19-183398	with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - /	88 - 121 kW	22-325488	with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.2 D 12/21 - /	88 - 121 kW	22-325525	with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.2 D 12/21 - /	88 - 121 kW	19-325545	with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.2 D 12/21 - /	88 - 121 kW	19-326986	with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - /	88 - 121 kW	19-325491	with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles















OPEL					
OPEL MOVANO C Platform/Chassis (U9)					
B 6 DMC	2.2 D 12/21 - / 88 – 121 kW	23-325500			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.2 D 12/21 - / 88 – 121 kW	23-325531			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.2 D 12/21 - / 88 – 121 kW			25-336078	Vehicle Type: Factory flat frame ; not for model AL-KO flat frame; with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080

PEUGEOT
PEUGEOT BOXER Van

B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW	11-299370			Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW	12-228683 12-228676	 		FA: 12-228676; 12-228683
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW	22-183415			Vehicle Type: Light 28-35; with standard chassis FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW	22-196682			Vehicle Type: Heavy 35-40; with standard chassis FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW			19-183398	with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 – 130 kW			19-226798	with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080



			
PEUGEOT			
PEUGEOT BOXER Van			
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-226781  with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-325488 	with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-325525 	with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-325545  with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355822080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-326986  with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-325491  with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	23-325500 	with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	23-325531 	Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		25-336078  with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080



PEUGEOT			
PEUGEOT BOXER Platform/Chassis			
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	11-299370	Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	12-228683 12-228676	FA: 12-228676; 12-228683
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-183415	19-183398
			Vehicle Type: Light 11-15 Q; with standard chassis FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-196682	19-183398
			Vehicle Type: Light 17-18 Q; with standard chassis FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-226798
			with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 135281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080
B 4	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-226781
			with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-325488	with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	22-325525	with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm



PEUGEOT				
PEUGEOT BOXER Platform/Chassis				
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-325545	with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-326986	with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		19-325491	with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	23-325500		with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW	23-325531		with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.0 BlueHDi 110, 2.0 BlueHDi 130, 2.0 BlueHDi 160, 2.2 BlueHDi 120, 2.2 BlueHDi 140, 2.2 BlueHDi 165, 2.2 HDi 100, 2.2 HDi 110, 2.2 HDi 120, 2.2 HDi 130, 2.2 HDi 150, 3.0 HDi, 3.0 HDi 145, 3.0 HDi 160, 3.0 HDi 175 04/06 - / 74 - 130 kW		25-336078	Vehicle Type: Factory flat frame ; not for model AL-KO flat frame; with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080

RENAULT

RENAULT MASTER III Van (FV)

B 1	2.3 dCi 100 FWD, 2.3 dCi 100 RWD, 2.3 dCi 110 FWD, 2.3 dCi 125 FWD, 2.3 dCi 125 RWD, 2.3 dCi 130 FWD, 2.3 dCi 130 RWD, 2.3 dCi 135 FWD, 2.3 dCi 135 RWD, 2.3 dCi 145 FWD (FVOE, FVOF, FVOH, FVO2, FVOM, FVOS,....), 2.3 dCi 145 RWD, 2.3 dCi 150 FWD, 2.3 dCi 150 RWD, 2.3 dCi 165 FWD, 2.3 dCi 165 RWD, 2.3 dCi 170 FWD, 2.3 dCi 180 FWD 02/10 - / 74 - 132 kW	12-263615		
B 4	2.3 dCi 100 FWD, 2.3 dCi 110 FWD, 2.3 dCi 125 FWD, 2.3 dCi 130 FWD, 2.3 dCi 135 FWD, 2.3 dCi 145 FWD (FVOE, FVOF, FVOH, FVO2, FVOM, FVOS,....), 2.3 dCi 150 FWD, 2.3 dCi 165 FWD, 2.3 dCi 170 FWD, 2.3 dCi 180 FWD 02/10 - / 74 - 132 kW		19-232546	with standard chassis; Front Wheel Drive



RENAULT			
RENAULT MASTER III Van (FV)			
B 4	2.3 dCi 100 RWD, 2.3 dCi 125 RWD, 2.3 dCi 130 RWD, 2.3 dCi 135 RWD, 2.3 dCi 145 RWD, 2.3 dCi 150 RWD, 2.3 dCi 165 RWD 02/10 - / 74 – 120 kW		19-232553
			with standard chassis; Rear Wheel Drive













RENAULT MASTER III Platform/Chassis (EV, HV, UV)			
B 1	2.3 dCi 100 FWD (EVOA, EVOB, HVOA, HVOB, UV0A, UV0B,...., 2.3 dCi 100 RWD, 2.3 dCi 110 FWD, 2.3 dCi 125 FWD (EVOC, EVOD, EVOJ, HVOC, HVOD, HVOH,...., 2.3 dCi 125 RWD (HVOC, HVOD, UVOC, UVOD, UV0H, UV0J,...., 2.3 dCi 130 FWD, 2.3 dCi 130 RWD (HV01, HV10, HV11, HV12, UV01, UV10,...., 2.3 dCi 135 FWD, 2.3 dCi 135 RWD, 2.3 dCi 145 FWD (EVOE, EVOF, HVOE, HVOF, UV0E, UV0F,...., 2.3 dCi 145 RWD (UV0F, UV0E, HVOE, HVOF, HV0T, HV10,...., 2.3 dCi 150 FWD, 2.3 dCi 150 RWD, 2.3 dCi 165 FWD (EVOP, EVOU, EV11, EV12, HVOF, HVOU,...., 2.3 dCi 165 RWD (HVOF, HVOU, HV10, HV12, UV0F, UV0U,...., 2.3 dCi 170 FWD, 2.3 dCi 180 FWD 02/10 - / 74 – 132 kW	12-263615	
B 4	2.3 dCi 100 FWD (EVOA, EVOB, HVOA, HVOB, UV0A, UV0B,...., 2.3 dCi 110 FWD, 2.3 dCi 125 FWD (EVOC, EVOD, EVOJ, HVOC, HVOD, HVOH,...., 2.3 dCi 130 FWD, 2.3 dCi 135 FWD, 2.3 dCi 145 FWD (EVOE, EVOF, HVOE, HVOF, UV0E, UV0F,...., 2.3 dCi 150 FWD, 2.3 dCi 165 FWD (EVOP, EVOU, EV11, EV12, HVOF, HVOU,...., 2.3 dCi 170 FWD, 2.3 dCi 180 FWD 02/10 - / 74 – 132 kW		19-232546
			with standard chassis; Front Wheel Drive
B 4	2.3 dCi 100 RWD, 2.3 dCi 125 RWD (HVOC, HVOD, UVOC, UVOD, UV0H, UV0J,...., 2.3 dCi 130 RWD (HV01, HV10, HV11, HV12, UV01, UV10,...., 2.3 dCi 135 RWD, 2.3 dCi 145 RWD (UV0F, UV0E, HVOE, HVOF, HV0T, HV10,...., 2.3 dCi 150 RWD, 2.3 dCi 165 RWD (HVOF, HVOU, HV10, HV12, UV0F, UV0U,...., 02/10 - / 74 – 120 kW		19-232553
			with standard chassis; Rear Wheel Drive

VAUXHALL			
VAUXHALL MOVANO Mk II (B) Combi (X62)			
B 1	2.3 CDTI FWD 05/10 - / 74 kW	12-263615	
B 1 AMC	2.3 CDTI FWD 05/10 - / 74 kW		10-309490
			for pneumatic suspension vehicles
B 4	2.3 CDTI FWD 05/10 - / 74 kW		19-232546
			with standard chassis; Front Wheel Drive

VAUXHALL MOVANO Mk II (B) Chassis/Cab (X62)			
B 1	2.3 CDTI FWD 05/10 - / 74 kW	12-263615	
B 1 AMC	2.3 CDTI FWD 05/10 - / 74 kW		10-309490
			for pneumatic suspension vehicles
B 4	2.3 CDTI FWD 05/10 - / 74 kW		19-232546
			with standard chassis; Front Wheel Drive

VAUXHALL MOVANO Mk III (C) VAN (U9)			
B 1	2.2 D 12/21 - / 103 – 121 kW	11-299370	
			Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.2 D 12/21 - / 103 – 121 kW	12-228683 12-228676	
			FA: 12-228676; 12-228683
B 4	2.2 D 12/21 - / 103 – 121 kW	22-183415	
			with standard chassis; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.2 D 12/21 - / 103 – 121 kW	22-196682	
			with standard chassis; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm





			
VAUXHALL			
VAUXHALL MOVANO Mk III (C) VAN (U9)			
B 4	2.2 D 12/21 - / 103 - 121 kW		19-183398  with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.2 D 12/21 - / 103 - 121 kW		19-226798  with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080
B 4	2.2 D 12/21 - / 103 - 121 kW		19-226781  with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 103 - 121 kW	22-325488 	Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.2 D 12/21 - / 103 - 121 kW	22-325525 	Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6	2.2 D 12/21 - / 103 - 121 kW		19-325545  with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.2 D 12/21 - / 103 - 121 kW		19-326986  with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 103 - 121 kW		19-325491  with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.2 D 12/21 - / 103 - 121 kW	23-325500 	Vehicle Type: Light 28-35; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm



VAUXHALL					
VAUXHALL MOVANO Mk III (C) VAN (U9)					
B 6 DMC	2.2 D 12/21 - / 103 – 121 kW	23-325531			Vehicle Type: Heavy 35-40; with standard chassis; Vehicle Type: Camper Advanced FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.2 D 12/21 - / 103 – 121 kW			25-336078	with standard chassis; Vehicle Type: Camper Advanced; not for model AL-KO flat frame; Vehicle Type: Factory flat frame RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080
VAUXHALL MOVANO Mk III (C) Chassis/Cab (U9)					
B 1	2.2 D 12/21 - / 103 kW	11-299370			Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; for coil-spring suspension vehicles
B 1	2.2 D 12/21 - / 103 kW	12-228683 12-228676			FA: 12-228676; 12-228683
B 4	2.2 D 12/21 - / 103 kW	22-183415			with standard chassis; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles
B 4	2.2 D 12/21 - / 103 kW	22-196682			with standard chassis; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 4	2.2 D 12/21 - / 103 kW			19-183398	with standard chassis RA: Length 1 [mm]: 282 mm; Length 2 [mm]: 417 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 4	2.2 D 12/21 - / 103 kW			19-226798	with standard chassis RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355830080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1355930080
B 4	2.2 D 12/21 - / 103 kW			19-226781	with standard chassis RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 103 kW	22-325488			with standard chassis; Vehicle Type: Camper; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 776 mm
B 6	2.2 D 12/21 - / 103 kW	22-325525			with standard chassis; Vehicle Type: Camper; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm



VAUXHALL			
VAUXHALL MOVANO Mk III (C) Chassis/Cab (U9)			
B 6	2.2 D 12/21 - / 103 kW		19-325545
			with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1352281080; for OE number: 1355821080; for OE number: 1355827080; for OE number: 1355829080; for OE number: 1355930080; for OE number: 1356967080; for OE number: 1357401080; for OE number: 1357467080; for OE number: 1357469080; for OE number: 1362546080; for OE number: 1362547080; for OE number: 1362548080; for OE number: 1362549080; for OE number: 1362553080; for OE number: 1362554080; for OE number: 1362558080; for OE number: 1362560080; for OE number: 1362577080; for OE number: 1368970080; for leaf-spring suspension vehicles; for OE number: 1362559080; for OE number: 1355830080
B 6	2.2 D 12/21 - / 103 kW		19-326986
			with standard chassis; Vehicle Type: Camper RA: Length 1 [mm]: 315 mm; Length 2 [mm]: 476 mm; Length [mm]: 522 mm; for OE number: 1355822080; for OE number: 1355823080; for OE number: 1355824080; for OE number: 1355826080; for OE number: 1355828080; for OE number: 1356866080; for OE number: 1356966080; for OE number: 1357402080; for OE number: 1357763080; for OE number: 1361278080; for OE number: 1362551080; for OE number: 1362557080; for OE number: 1362578080; for OE number: 1362579080; for OE number: 1369848080; for OE number: 1369851080; for leaf-spring suspension vehicles
B 6	2.2 D 12/21 - / 103 kW		19-325491
			with standard chassis; Vehicle Type: Camper RA: Length 2 [mm]: 418 mm; Length 1 [mm]: 283 mm; Length [mm]: 463 mm; for OE number: 1355825080; for OE number: 1355831080; for OE number: 1357468080; for OE number: 1357470080; for OE number: 1359217080; for OE number: 1359219080; for OE number: 1362550080; for OE number: 1362552080; for OE number: 1362559080; for OE number: 1362561080; for OE number: 1362880080; for leaf-spring suspension vehicles
B 6 DMC	2.2 D 12/21 - / 103 kW	23-325500	
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Light 28-35 FA: Piston conrod diameter [mm] 25mm; Length 1 [mm]: 501 mm; Length 2 [mm]: 687 mm; for OE number: 50707078; for OE number: 50707000; for OE number: 50708386; for coil-spring suspension vehicles; Length [mm]: 777 mm
B 6 DMC	2.2 D 12/21 - / 103 kW	23-325531	
			with standard chassis; Vehicle Type: Camper Advanced; Vehicle Type: Heavy 35-40 FA: Piston conrod diameter [mm] 28mm; Length 1 [mm]: 495 mm; Length 2 [mm]: 662 mm; for OE number: 50707867; for OE number: 50707946; for OE number: 50708439; for OE number: 507086609; for coil-spring suspension vehicles; Length [mm]: 751 mm
B 6 DMC	2.2 D 12/21 - / 103 kW		25-336078
			Vehicle Type: Factory flat frame ; not for model AL-KO flat frame; with standard chassis; Vehicle Type: Camper Advanced RA: Length 1 [mm]: 293 mm; Length 2 [mm]: 439 mm; Length [mm]: 485 mm; for OE number: 1368970080; for OE number: 1362577080; for OE number: 1362560080; for OE number: 1362559080; for OE number: 1362558080; for OE number: 1362554080; for OE number: 1362553080; for OE number: 1362549080; for OE number: 1362548080; for OE number: 1362547080; for OE number: 1362546080; for OE number: 1357469080; for OE number: 1357467080; for OE number: 1357401080; for OE number: 1356967080; for OE number: 1355830080; for OE number: 1355829080; for OE number: 1355827080; for OE number: 1355821080; for OE number: 1352281080; for leaf-spring suspension vehicles; for OE number: 1355930080; for OE number: 1362557080



COMPARATIVE LIST



BILSTEIN	OE Number	Manufacturer
10-309490	95514729	PSA
10-309490	8201323922	PSA
11-299370	50705220	Fiat
11-299370	50706737	Fiat
11-299370	93501847	Fiat
11-299370	5033E6	PSA
11-299370	5033A6	PSA
11-299370	5033A7	PSA
11-299370	5033A9	PSA
11-301066	2E0 413 175 A	VAG
11-301066	2E0 413 175 B	VAG
11-301066	906 323 01 92	MB
11-301066	906 323 02 92	MB
11-301066	A 906 323 01 92	MB
11-301066	A 906 323 02 92	MB
12-228676	13507 88080	Fiat
12-228676	5031.79	PSA
12-228676	5038.28	PSA
12-228676	5038.E2	PSA
12-228676	5038.F4	PSA
12-228676	94050 31 799	Fiat
12-228683	13507 89080	Fiat
12-228683	5031.78	PSA
12-228683	5038.29	PSA
12-228683	5038.E3	PSA
12-228683	5038.F3	PSA
12-228683	94050 31 789	Fiat
12-248599	2E0 407 181 C	VAG
12-248599	2E0 407 181 D	VAG
12-248599	906 323 05 20	MB
12-248599	A 906 323 05 20	MB
12-296392	1345897080	Fiat
12-296392	1620298580	PSA
12-296392	5038-E3	PSA
12-296408	1345896080	Fiat
12-296408	1620298580	PSA
12-296408	5038-E2	PSA
19-169279	2E0 513 029 B	VAG
19-169279	906 320 01 31	MB
19-169279	906 320 02 31	MB
19-169279	906 320 09 31	MB
19-169279	A 906 320 01 31	MB
19-169279	A 906 320 02 31	MB
19-169279	A 906 320 09 31	MB
19-171579	2E 513 029	VAG
19-171579	2E 513 029 B	VAG
19-171579	2E 513 029 F	VAG
19-171579	2E 513 029 J	VAG
19-171579	2E 513 029 L	VAG
19-171579	2E0 513 029 AD	VAG
19-171579	906 320 00 31	MB
19-171579	906 320 07 31	MB
19-171579	A 906 320 00 31	MB
19-171579	A 906 320 07 31	MB
19-183398	1355825080	Fiat
19-183398	1355831080	Fiat
19-183398	1357468080	Fiat
19-183398	1357470080	Fiat
19-183398	1359217080	Fiat
19-183398	1359219080	Fiat
19-183398	1362550080	Fiat
19-183398	1362552080	Fiat
19-183398	1362559080	Fiat
19-183398	1362561080	Fiat
19-183398	1362880080	Fiat
19-226781	1355822080	Fiat
19-226781	1355823080	Fiat
19-226781	1355824080	Fiat
19-226781	1355826080	Fiat
19-226781	1355828080	Fiat
19-226781	1356866080	Fiat
19-226781	1356966080	Fiat
19-226781	1357402080	Fiat
19-226781	1357763080	Fiat
19-226781	1361278080	Fiat
19-226781	1362551080	Fiat
19-226781	1362557080	Fiat
19-226781	1362578080	Fiat
19-226781	1362579080	Fiat
19-226781	1369848080	Fiat
19-226781	1369851080	Fiat
19-226798	1352281080	Fiat
19-226798	1355821080	Fiat
19-226798	1355827080	Fiat
19-226798	1355829080	Fiat
19-226798	1355830080	Fiat
19-226798	1355930080	Fiat
19-226798	1356967080	Fiat
19-226798	1357401080	Fiat

BILSTEIN	OE Number	Manufacturer
19-226798	1357467080	Fiat
19-226798	1357469080	Fiat
19-226798	1362546080	Fiat
19-226798	1362547080	Fiat
19-226798	1362548080	Fiat
19-226798	1362549080	Fiat
19-226798	1362553080	Fiat
19-226798	1362554080	Fiat
19-226798	1362558080	Fiat
19-226798	1362560080	Fiat
19-226798	1362577080	Fiat
19-226798	1368970080	Fiat
19-310206	907 320 20 00	MB
19-310206	907 320 25 00	MB
19-310206	907 320 28 00	MB
19-310206	907 320 29 00	MB
19-310206	907 320 79 01	MB
19-310206	A 907 320 20 00	MB
19-310206	A 907 320 25 00	MB
19-310206	A 907 320 28 00	MB
19-310206	A 907 320 29 00	MB
19-310206	A 907 320 79 01	MB
19-314181	907 320 43 01	MB
19-314181	A 907 320 43 01	MB
19-314198	907 320 35 00	MB
19-314198	907 326 00 00	MB
19-314198	A 907 320 35 00	MB
19-314198	A 907 326 00 00	MB
19-325491	1355825080	Fiat
19-325491	1355831080	Fiat
19-325491	1357468080	Fiat
19-325491	1357470080	Fiat
19-325491	1359217080	Fiat
19-325491	1359219080	Fiat
19-325491	1362550080	Fiat
19-325491	1362552080	Fiat
19-325491	1362559080	Fiat
19-325491	1362561080	Fiat
19-325491	1362880080	Fiat
19-325545	1352281080	Fiat
19-325545	1355821080	Fiat
19-325545	1355827080	Fiat
19-325545	1355829080	Fiat
19-325545	1355830080	Fiat
19-325545	1355930080	Fiat
19-325545	1356967080	Fiat
19-325545	1357401080	Fiat
19-325545	1357467080	Fiat
19-325545	1357469080	Fiat
19-325545	1362546080	Fiat
19-325545	1362547080	Fiat
19-325545	1362548080	Fiat
19-325545	1362549080	Fiat
19-325545	1362553080	Fiat
19-325545	1362554080	Fiat
19-325545	1362558080	Fiat
19-325545	1362559080	Fiat
19-325545	1362560080	Fiat
19-325545	1362577080	Fiat
19-325545	1368970080	Fiat
19-326986	1355822080	Fiat
19-326986	1355823080	Fiat
19-326986	1355824080	Fiat
19-326986	1355826080	Fiat
19-326986	1355828080	Fiat
19-326986	1356866080	Fiat
19-326986	1356966080	Fiat
19-326986	1357402080	Fiat
19-326986	1357763080	Fiat
19-326986	1361278080	Fiat
19-326986	1362551080	Fiat
19-326986	1362557080	Fiat
19-326986	1362578080	Fiat
19-326986	1362579080	Fiat
19-326986	1369848080	Fiat
19-326986	1369851080	Fiat
22-183415	50707000	Fiat
22-183415	50707078	Fiat
22-183415	50707700	Fiat
22-183415	50708386	Fiat
22-184238	2E0 413 023 AM	VAG
22-184238	2E0 413 023 AR	VAG
22-184238	2E3 413 023	VAG
22-184238	906 320 44 30	MB
22-184238	906 320 45 30	MB
22-184238	906 320 61 30	MB
22-184238	906 320 62 30	MB
22-184238	906 320 63 30	MB
22-184238	906 320 67 30	MB

22-184238	906 320 74 30	MB
22-184238	A 906 320 44 30	MB
22-184238	A 906 320 45 30	MB
22-184238	A 906 320 61 30	MB
22-184238	A 906 320 62 30	MB
22-184238	A 906 320 63 30	MB
22-184238	A 906 320 67 30	MB
22-184238	A 906 320 74 30	MB
22-184245	2E0 413 023 AJ	VAG
22-184245	2E0 413 023 AS	VAG
22-184245	2E3 413 023 A	VAG
22-184245	906 320 04 33	MB
22-184245	906 320 06 33	MB
22-184245	906 320 10 33	MB
22-184245	906 320 11 33	MB
22-184245	906 320 46 30	MB
22-184245	906 320 47 30	MB
22-184245	906 320 57 30	MB
22-184245	906 320 64 30	MB
22-184245	906 320 65 30	MB
22-184245	906 320 70 30	MB
22-184245	906 320 71 30	MB
22-184245	906 320 74 30	MB
22-184245	906 320 75 30	MB
22-184245	906 320 76 30	MB
22-184245	906 320 80 30	MB
22-184245	A 906 320 04 33	MB
22-184245	A 906 320 06 33	MB
22-184245	A 906 320 10 33	MB
22-184245	A 906 320 11 33	MB
22-184245	A 906 320 46 30	MB
22-184245	A 906 320 47 30	MB
22-184245	A 906 320 57 30	MB
22-184245	A 906 320 64 30	MB
22-184245	A 906 320 65 30	MB
22-184245	A 906 320 70 30	MB
22-184245	A 906 320 71 30	MB
22-184245	A 906 320 74 30	MB
22-184245	A 906 320 75 30	MB
22-184245	A 906 320 76 30	MB
22-184245	A 906 320 80 30	MB
22-196682	50707867	Fiat
22-196682	50707946	Fiat
22-196682	50708439	Fiat
22-196682	50708609	Fiat
22-196682	5202 ZK	PSA
22-196682	5202 ZL	PSA
22-196682	5208 55	PSA
22-196682	5208 L4	PSA
22-196682	5208 L5	PSA
22-285959	906 320 13 33	MB
22-285959	906 320 14 33	MB
22-310194	907 320 51 01	MB
22-310194	907 320 52 01	MB
22-310194	907 320 53 01	MB
22-310194	907 320 55 01	MB
22-310194	907 320 58 01	MB
22-310194	907 320 59 01	MB
22-310194	907 320 60 01	MB
22-310194	A 907 320 51 01	MB
22-310194	A 907 320 52 01	MB
22-310194	A 907 320 53 01	MB
22-310194	A 907 320 55 01	MB
22-310194	A 907 320 58 01	MB
22-310194	A 907 320 59 01	MB
22-310194	A 907 320 60 01	MB
22-314161	906 320 13 33	MB
22-314161	906 320 14 33	MB
22-314161	A 906 320 13 33	MB
22-314161	A 906 320 14 33	MB
22-314345	907 320 57 01	MB
22-314345	A 907 320 57 01	MB
22-325488	50707078	Fiat
22-325488	50707700	Fiat
22-325488	50708386	Fiat
22-325525	50707867	Fiat
22-325525	50707946	Fiat
22-325525	50708439	Fiat
22-325525	50708609	Fiat
22-325525	5202 ZK	PSA
22-325525	5202 ZL	PSA
22-325525	5208 55	PSA
22-325525	5208 L4	PSA
22-325525	5208 L5	PSA
22-329684	910 320 00 01	MB
22-329684	910 320 80 00	MB
22-329684	910 320 98 00	MB
22-329684	A 910 320 00 01	MB
22-329684	A910 320 80 00	MB

22-329684	A910 320 98 00	MB
22-329691	910 320 98 00	MB
22-334329	906 320 13 33	MB
22-334329	906 320 14 33	MB
23-325500	50707078	Fiat
23-325500	50707700	Fiat
23-325500	50708386	Fiat
23-325531	50707867	Fiat
23-325531	50707946	Fiat
23-325531	50708439	Fiat
23-325531	50708609	Fiat
23-325531	5202 ZK	PSA
23-325531	5202 ZL	PSA
23-325531	5208 55	PSA
23-325531	5208 L4	PSA
23-325531	5208 L5	PSA
24-314350	907 320 43 01	MB
24-314350	A 907 320 43 01	MB
24-322393	907 320 27 00	MB
24-322393	907 320 29 01	MB
24-322393	907 320 35 00	MB
24-322393	A 907 320 35 00	MB
24-329712	910 326 30 00	MB
24-329712	A 910 326 30 00	MB
24-334341	906 320 23 31	MB
24-334341	906 326 13 00	MB
24-334341	906 326 18 00	MB
25-329445	907 320 43 01	MB
25-329445	A 907 320 43 01	MB
25-334357	906 320 23 31	MB
25-334357	906 326 13 00	MB
25-334357	906 326 18 00	MB
25-336078	1352281080	Fiat
25-336078	1355821080	Fiat
25-336078	1355827080	Fiat
25-336078	1355829080	Fiat
25-336078	1355830080	Fiat
25-336078	1355930080	Fiat
25-336078	1356967080	Fiat
25-336078	1357401080	Fiat
25-336078	1357467080	Fiat
25-336078	1357469080	Fiat
25-336078	1362546080	Fiat
25-336078	1362547080	Fiat
25-336078	1362548080	Fiat
25-336078	1362549080	Fiat
25-336078	1362553080	Fiat
25-336078	1362554080	Fiat
25-336078	1362558080	Fiat
25-336078	1362559080	Fiat
25-336078	1362560080	Fiat
25-336078	1362577080	Fiat
25-336078	1368970080	Fiat



COMPARATIVE LIST





OE Number	Manufacturer	BILSTEIN
95514729	PSA	10-309490
8201323922	PSA	10-309490
50705220	Fiat	11-299370
50706737	Fiat	11-299370
93501847	Fiat	11-299370
5033E6	PSA	11-299370
5033A6	PSA	11-299370
5033A7	PSA	11-299370
5033A9	PSA	11-299370
2E0 413 175 A	VAG	11-301066
2E0 413 175 B	VAG	11-301066
906 323 01 92	MB	11-301066
906 323 02 92	MB	11-301066
A 906 323 01 92	MB	11-301066
A 906 323 02 92	MB	11-301066
13507 88080	Fiat	12-228676
5031.79	PSA	12-228676
5038.28	PSA	12-228676
5038.E2	PSA	12-228676
5038.F4	PSA	12-228676
94050 31799	Fiat	12-228676
13507 89080	Fiat	12-228683
5031.78	PSA	12-228683
5038.29	PSA	12-228683
5038.E3	PSA	12-228683
5038.F3	PSA	12-228683
94050 31789	Fiat	12-228683
2E0 407 181 C	VAG	12-248599
2E0 407 181 D	VAG	12-248599
906 323 05 20	MB	12-248599
A 906 323 05 20	MB	12-248599
1345897080	Fiat	12-296392
1620298580	PSA	12-296392
5038-E3	PSA	12-296392
1345896080	Fiat	12-296408
1620298580	PSA	12-296408
5038-E2	PSA	12-296408
2E0 513 029 B	VAG	19-169279
906 320 01 31	MB	19-169279
906 320 02 31	MB	19-169279
906 320 09 31	MB	19-169279
A 906 320 01 31	MB	19-169279
A 906 320 02 31	MB	19-169279
A 906 320 09 31	MB	19-169279
2E 513 029	VAG	19-171579
2E 513 029 B	VAG	19-171579
2E 513 029 F	VAG	19-171579
2E 513 029 J	VAG	19-171579
2E 513 029 L	VAG	19-171579
2E0 513 029 AD	VAG	19-171579
906 320 00 31	MB	19-171579
906 320 07 31	MB	19-171579
A 906 320 00 31	MB	19-171579
A 906 320 07 31	MB	19-171579
1355825080	Fiat	19-183398
1355831080	Fiat	19-183398
1357468080	Fiat	19-183398
1357470080	Fiat	19-183398
1359217080	Fiat	19-183398
1359219080	Fiat	19-183398
1362550080	Fiat	19-183398
1362552080	Fiat	19-183398
1362559080	Fiat	19-183398
1362561080	Fiat	19-183398
1362880080	Fiat	19-183398
1355822080	Fiat	19-226781
1355823080	Fiat	19-226781
1355824080	Fiat	19-226781
1355826080	Fiat	19-226781
1355828080	Fiat	19-226781
1356866080	Fiat	19-226781
1356966080	Fiat	19-226781
1357402080	Fiat	19-226781
1357763080	Fiat	19-226781
1361278080	Fiat	19-226781
1362551080	Fiat	19-226781
1362557080	Fiat	19-226781
1362578080	Fiat	19-226781
1362579080	Fiat	19-226781
1369848080	Fiat	19-226781
1369851080	Fiat	19-226781
1352281080	Fiat	19-226798
1355821080	Fiat	19-226798
1355827080	Fiat	19-226798
1355829080	Fiat	19-226798
1355830080	Fiat	19-226798
1355930080	Fiat	19-226798
1356967080	Fiat	19-226798
1357401080	Fiat	19-226798

OE Number	Manufacturer	BILSTEIN
1357467080	Fiat	19-226798
1357469080	Fiat	19-226798
1362546080	Fiat	19-226798
1362547080	Fiat	19-226798
1362548080	Fiat	19-226798
1362549080	Fiat	19-226798
1362553080	Fiat	19-226798
1362554080	Fiat	19-226798
1362558080	Fiat	19-226798
1362560080	Fiat	19-226798
1362577080	Fiat	19-226798
1368970080	Fiat	19-226798
907 320 20 00	MB	19-310206
907 320 25 00	MB	19-310206
907 320 28 00	MB	19-310206
907 320 29 00	MB	19-310206
907 320 79 01	MB	19-310206
A 907 320 20 00	MB	19-310206
A 907 320 25 00	MB	19-310206
A 907 320 28 00	MB	19-310206
A 907 320 29 00	MB	19-310206
A 907 320 79 01	MB	19-310206
907 320 43 01	MB	19-314181
A 907 320 43 01	MB	19-314181
907 320 35 00	MB	19-314198
907 326 00 00	MB	19-314198
A 907 320 35 00	MB	19-314198
A 907 326 00 00	MB	19-314198
1355825080	Fiat	19-325491
1355831080	Fiat	19-325491
1357468080	Fiat	19-325491
1357470080	Fiat	19-325491
1359217080	Fiat	19-325491
1359219080	Fiat	19-325491
1362550080	Fiat	19-325491
1362552080	Fiat	19-325491
1362559080	Fiat	19-325491
1362561080	Fiat	19-325491
1362880080	Fiat	19-325491
1352281080	Fiat	19-325545
1355821080	Fiat	19-325545
1355827080	Fiat	19-325545
1355829080	Fiat	19-325545
1355830080	Fiat	19-325545
1355930080	Fiat	19-325545
1356967080	Fiat	19-325545
1357401080	Fiat	19-325545
1357467080	Fiat	19-325545
1357469080	Fiat	19-325545
1362546080	Fiat	19-325545
1362547080	Fiat	19-325545
1362548080	Fiat	19-325545
1362549080	Fiat	19-325545
1362553080	Fiat	19-325545
1362554080	Fiat	19-325545
1362558080	Fiat	19-325545
1362559080	Fiat	19-325545
1362560080	Fiat	19-325545
1362577080	Fiat	19-325545
1368970080	Fiat	19-325545
1355822080	Fiat	19-326986
1355823080	Fiat	19-326986
1355824080	Fiat	19-326986
1355826080	Fiat	19-326986
1355828080	Fiat	19-326986
1356866080	Fiat	19-326986
1356966080	Fiat	19-326986
1357402080	Fiat	19-326986
1357763080	Fiat	19-326986
1361278080	Fiat	19-326986
1362551080	Fiat	19-326986
1362557080	Fiat	19-326986
1362578080	Fiat	19-326986
1362579080	Fiat	19-326986
1369848080	Fiat	19-326986
1369851080	Fiat	19-326986
50707000	Fiat	22-183415
50707078	Fiat	22-183415
50707700	Fiat	22-183415
50708386	Fiat	22-183415
2E0 413 023 AM	VAG	22-184238
2E0 413 023 AR	VAG	22-184238
2E3 413 023	VAG	22-184238
906 320 44 30	MB	22-184238
906 320 45 30	MB	22-184238
906 320 61 30	MB	22-184238
906 320 62 30	MB	22-184238
906 320 63 30	MB	22-184238
906 320 67 30	MB	22-184238

906 320 74 30	MB	22-184238	A910 320 98 00	MB	22-329684
A 906 320 44 30	MB	22-184238	910 320 98 00	MB	22-329691
A 906 320 45 30	MB	22-184238	906 320 13 33	MB	22-334329
A 906 320 61 30	MB	22-184238	906 320 14 33	MB	22-334329
A 906 320 62 30	MB	22-184238	50707078	Fiat	23-325500
A 906 320 63 30	MB	22-184238	50707700	Fiat	23-325500
A 906 320 67 30	MB	22-184238	50708386	Fiat	23-325500
A 906 320 74 30	MB	22-184238	50707867	Fiat	23-325531
2E0 413 023 AJ	VAG	22-184245	50707946	Fiat	23-325531
2E0 413 023 AS	VAG	22-184245	50708439	Fiat	23-325531
2E3 413 023 A	VAG	22-184245	50708609	Fiat	23-325531
906 320 04 33	MB	22-184245	5202 ZK	PSA	23-325531
906 320 06 33	MB	22-184245	5202 ZL	PSA	23-325531
906 320 10 33	MB	22-184245	5208 55	PSA	23-325531
906 320 11 33	MB	22-184245	5208 L4	PSA	23-325531
906 320 46 30	MB	22-184245	5208 L5	PSA	23-325531
906 320 47 30	MB	22-184245	907 320 43 01	MB	24-314350
906 320 57 30	MB	22-184245	A 907 320 43 01	MB	24-314350
906 320 64 30	MB	22-184245	907 320 27 00	MB	24-322393
906 320 65 30	MB	22-184245	907 320 29 01	MB	24-322393
906 320 70 30	MB	22-184245	907 320 35 00	MB	24-322393
906 320 71 30	MB	22-184245	A 907 320 35 00	MB	24-322393
906 320 74 30	MB	22-184245	910 326 30 00	MB	24-329712
906 320 75 30	MB	22-184245	A 910 326 30 00	MB	24-329712
906 320 76 30	MB	22-184245	906 320 23 31	MB	24-334341
906 320 80 30	MB	22-184245	906 326 13 00	MB	24-334341
A 906 320 04 33	MB	22-184245	906 326 18 00	MB	24-334341
A 906 320 06 33	MB	22-184245	907 320 43 01	MB	25-329445
A 906 320 10 33	MB	22-184245	A 907 320 43 01	MB	25-329445
A 906 320 11 33	MB	22-184245	906 320 23 31	MB	25-334357
A 906 320 46 30	MB	22-184245	906 326 13 00	MB	25-334357
A 906 320 47 30	MB	22-184245	906 326 18 00	MB	25-334357
A 906 320 57 30	MB	22-184245	1352281080	Fiat	25-336078
A 906 320 64 30	MB	22-184245	1355821080	Fiat	25-336078
A 906 320 65 30	MB	22-184245	1355827080	Fiat	25-336078
A 906 320 70 30	MB	22-184245	1355829080	Fiat	25-336078
A 906 320 71 30	MB	22-184245	1355830080	Fiat	25-336078
A 906 320 74 30	MB	22-184245	1355930080	Fiat	25-336078
A 906 320 75 30	MB	22-184245	1356967080	Fiat	25-336078
A 906 320 76 30	MB	22-184245	1357401080	Fiat	25-336078
A 906 320 80 30	MB	22-184245	1357467080	Fiat	25-336078
50707867	Fiat	22-196682	1357469080	Fiat	25-336078
50707946	Fiat	22-196682	1362546080	Fiat	25-336078
50708439	Fiat	22-196682	1362547080	Fiat	25-336078
50708609	Fiat	22-196682	1362548080	Fiat	25-336078
5202 ZK	PSA	22-196682	1362549080	Fiat	25-336078
5202 ZL	PSA	22-196682	1362553080	Fiat	25-336078
5208 55	PSA	22-196682	1362554080	Fiat	25-336078
5208 L4	PSA	22-196682	1362558080	Fiat	25-336078
5208 L5	PSA	22-196682	1362559080	Fiat	25-336078
906 320 13 33	MB	22-285959	1362560080	Fiat	25-336078
906 320 14 33	MB	22-285959	1362577080	Fiat	25-336078
907 320 51 01	MB	22-310194	1368970080	Fiat	25-336078
907 320 52 01	MB	22-310194			
907 320 53 01	MB	22-310194			
907 320 55 01	MB	22-310194			
907 320 58 01	MB	22-310194			
907 320 59 01	MB	22-310194			
907 320 60 01	MB	22-310194			
A 907 320 51 01	MB	22-310194			
A 907 320 52 01	MB	22-310194			
A 907 320 53 01	MB	22-310194			
A 907 320 55 01	MB	22-310194			
A 907 320 58 01	MB	22-310194			
A 907 320 59 01	MB	22-310194			
A 907 320 60 01	MB	22-310194			
906 320 13 33	MB	22-314161			
906 320 14 33	MB	22-314161			
A 906 320 13 33	MB	22-314161			
A 906 320 14 33	MB	22-314161			
907 320 57 01	MB	22-314345			
A 907 320 57 01	MB	22-314345			
50707078	Fiat	22-325488			
50707700	Fiat	22-325488			
50708386	Fiat	22-325488			
50707867	Fiat	22-325525			
50707946	Fiat	22-325525			
50708439	Fiat	22-325525			
50708609	Fiat	22-325525			
5202 ZK	PSA	22-325525			
5202 ZL	PSA	22-325525			
5208 55	PSA	22-325525			
5208 L4	PSA	22-325525			
5208 L5	PSA	22-325525			
910 320 00 01	MB	22-329684			
910 320 80 00	MB	22-329684			
910 320 98 00	MB	22-329684			
A 910 320 00 01	MB	22-329684			
A910 320 80 00	MB	22-329684			








Here you will find details of the
BILSTEIN Camper programme and
documents to download.

camper.bilstein.com



BILSTEIN

thyssenkrupp Bilstein GmbH
August-Bilstein-Straße 4
58256 Ennepetal
Germany

bilstein.com

February 2024